ESTHETICA
Medical Furniture

CHEMOTHERAPY CHAIR

COMFORT AND CARE REDEFINED

Esthetica Chemotherapy Chair is thoughtfully engineered to provide exceptional comfort and clinical support during prolonged chemotherapy and oncology infusion sessions. Designed for cancer care centres, oncology day-care units, infusion clinics, and dialysis centres. This chair combines advanced motorised positioning with patient-focused ergonomics to ensure safe, stable, and stress-free treatment delivery.



KEY FEATURES



Electronic footrest adjustment

Allowing nursing staff to position patients easily with the push of a button. This eliminates the need for manual force required in conventional chairs, reducing physical strain on caregivers and enabling faster, smoother adjustments during treatment.

Detachable mattress

Quickly removed for cleaning and disinfection. This supports better infection control and simplifies maintenance. After 2–3 years of use, hospitals can replace only the mattress instead of the entire chair.

Four pre-set positions

End Of Treatment, Trendelenburg, CPR, and Consultation Position. These positions allow medical staff to quickly adjust the chair according to clinical needs, improving workflow efficiency and ensuring patient safety during procedures or emergencies.



Phthalate-Free Upholstery

Phthalate-Free Upholstery is designed for hospital environments, offering a safer surface for patients and healthcare workers. It resists stains and disinfectants, withstands frequent cleaning, and ensures durable, fire- and abrasion-resistant performance.



FEATURES

Armrests	Adjustable Armrest with Back & Forth and Up - Down Movements
Backrest	Electronically Adjustable
Legrest	Electronically Adjustable
Foot Rest	Electronically Adjustable
Height	Electronically Adjustable
Trendelenburg	Electronically Adjustable
Mattress	Removable mattress for easy cleaning and disinfection
Castors	100 mm high grade synthetic, single wheel castos, four with brakes

Memory Positions



End of Treatment | Trendelenburg | CPR | Consultation

TECHNICAL SPECIFICATIONS

Length	2140 mm / 84.25 in
Extended Length	2280 mm / 89.76 in
Width	850 mm / 33.46 in
Minimum Height	580 mm / 22.83 in
Maximum Height	780 mm / 30.7 in

ELECTRICAL PARAMETERS

Power in (Mains Power Supply)	100–240V, 50–60Hz, 3A
Batteries	Optional
IPX Rating	IPX6
Operating Temperature	10–40°C
Shock Protection:	Class I

ADD-ON ACCESSORIES

Stainless steel IV stand
ABS food tray
Battery Backup
IPad/Mobile Stand — Adjustable height and angle, positionable on either side
Dual power socket panel for charging laptops, tablets, and phones

BASE & FRAME

Base	Powder-coated mild steel frame
Safe Working Load	175 kgs
Patient Load Bearing capacity	150 kgs

CERTIFICATIONS & STANDARDS

Quality management	ISO 13485:2016 certified manufacturer (MTIC)
General safety for medical electrical equipment	IEC 60601-1
EMI/EMC	IEC 60601-1-2

UPHOLSTERY

Type	Veridura Phthalate-Free Upholstery
Thickness	1 mm
Tensile Strength	ISO 1421, 869.22 N/ 5 cm
Colour Options	Cream, Beige, Brown, Mouse Grey
Weight	726.7 g / sqmt
Abrasion	ISO 5470-2 = 2,00,000 cycles / min


Features :



Phthalate-Free | Fire Retardant | Oil Resistant | Alcohol Resistant | Ultra Soft | Stain Resistant | Anti Bacterial | Eco-Friendly


WARRANTY

3 years on motors




HANDSET

TECHNICAL DRAWINGS




TOP VIEW




FRONT VIEW



BACK VIEW



MINIMUM HEIGHT



MAXIMUM HEIGHT

ALL DIMENSIONS ARE IN MM